

Work Order ID 148135

June 27, 2016 10:34:34 AM

148135

Page 1

Item ID: D4019-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Rib
 Start Date: 6/27/2016 Start Qty: 6.00 ***2*** **CC** Cust Item ID:
 Required Date: 6/30/2016 Req'd Qty: 6.00 ***2*** Customer:
 Reference:

Approvals: Process Plan: SUA Date: 6/27/16 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4019	F								
100		0.00							
100									
Large Fab	Memo	0.00							
Large Fab	1- Cut tube as per dwg D4019 2- Drill hole as per dwg using DT9815 3- remove identification marks and deburr								
110	QC5- Inspect part completeness to spec on W/O	0.00							
110									
QC	Memo	0.00							
Quality Control									
120	Identify as per dwg & Stock Location: <u>W/A</u>	0.00							
120									
Packaging	Memo	0.00							
Packaging	LOCATION: WA004								

2x CC 16-6-28

2x **DAS**
24
3-00 **JUN 28 2016**

2x CC 16-6-28

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 148135

June 27, 2016 10:34:34 AM

148135

Page 2

Item ID: D4019-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Rib

Start Date: 6/27/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 6/30/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC21- Final Inspection - Work Order Release

0.00

130

QC

Memo

0.00

Quality Control

16/6/29
2m 16/06/28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Picklist Print

June 27, 2016 10:34:51 AM

Page 1

Work Order ID: 148135

148135

Parent Item: D4019-1

D4019-1

Parent Item Name: Rib

Start Date: 6/27/2016

Required Date: 6/30/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP RevA: new issue DD 10.01.25 verified by:EC IPP Rev:B as
per dwg revA 10.03.15 verified by:EC IPP Rev:C as per dwg revC
DD 10.04.20 verified by:EC IPP Rev:D as per dwg revD DD
10.08.18 verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6TS0.750W.06 2		Purchased		No		100	f	981.2100	4.73	29.87368			

✓ ***M6061T6TS0 750W 062***
6061-T6 SQ Tube .75 x .75 x .062W

CC 16-6-28

Location

Loc Qty

Loc Code

WA004

981.21

M128952

380.58

M129104


59.63

M132398

541

10.

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4019-041	LIGHT LID SHORT BASKET ASSY
1	1	D4019-101	BASKET LID WELDMENT ASSY
2	1	D2728-1	DART LOGO LABEL
3	1	D4029-043	WEBBING (SHORT BASKET)
4	30	MS20600AD4W4	RIVET, BLIND, PAN-HEAD
5	30	NAS1149DN949J	WASHER



D4019-041 LIGHT LID SHORT BASKET ASSY

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 4.82 lbs

84 6/27/16
148135


RELEASED
2013-08-16
mf

F	C8-3 D4035-047 WAS D4035-045 (REASON PROFORM OPTION REMOVED)	AJS	13.07.18
E	MS20600AD4W4 WAS MS20600AD4W3; NAS1149DN949J WAS NAS1149DN416J (ZN D6-1, C6-1, B3-2) REASON: PAR13-259.	MB	13.06.19
D	REORGANIZED BILL OF MATERIALS: SEPARATED -101 FROM -041 (D6-1, D6-3); REORGANIZED VIEWS ON SHT 3 ACCORDINGLY; REMOVED D4086-243, UPDATED VIEW E ACCORDINGLY (A7-2). REASON: NOW INSTALLED BY OPERATORS PER D350-607-2 REV. C AND D350-607-3 REV. A.	MB	10.08.05
C	MS20600AD4W3 WAS MS20600AD4W5: BOM & (B3-2)	JPH	10.04.06
B	BOM: INSERTED QTY 1 D2728-1 AS ITEM 4 & QTY 1 D4086-243 PLACARD AS ITEM 11. ITEMS RENUMBERED AS REQD. DETAIL E ADDED (A7-2) & (D5-2). SECTION B-B REV'D (D6-3) DIM ADDED (B4-3); WELD SYMBOL REVISED (D5-3)	JPH	10.03.25
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D4019	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LIGHT LID SHORT BASKET	NTS
DATE	13.07.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



D4019-041 LIGHT LID SHORT BASKET ASSY



DETAIL E D5-2




SECTION A-A C7-2

RELEASED
2013-08-16

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	47	DRAWING NO.	REV. F
MFG. APPR.		D4019	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LIGHT LID SHORT BASKET	NTS
DATE	13.07.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1


ITEM	QTY	P/N	DESCRIPTION
	X	D4019-101	BASKET LID WELDMENT ASSY
1	4	D2957	MOUNTING PLATE
2	3	D4016-5	HINGE HALF, LIGHT LID
3	2	D4019-1	RIB
4	2	D4019-3	RIB
5	2	D4035-047	BASKET LID RIB ASSY, AFT (LIGHT)
6	1	D4056-1	LABEL PLATE, 350 LIGHT BASKET



D4056-1
LABEL PLATE
REF

SECTION B-B C6-3

RELEASED
2013-08-16



DETAIL D C7-3

D4019-101 BASKET LID WELDMENT ASSY

DETAIL C B3-3

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.26 lbs
- 8) WELD PER DART QSI 004

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	47	DRAWING NO.	REV. F
MFG. APPR.		D4019	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LIGHT LID SHORT BASKET	NTS
DATE	13.07.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

